Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4804	(extension near2:table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:21
L2	5	(extension near2 table) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:21
13	0	(extension near2 table) same xml same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26:10:21
L4	6	(extension near2 table) same (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:22
L5	0	4 and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:21
L6	1	707/101 and (extension near2 table) same (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:22
L7	5	("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (relational near2 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:23
L8	0	("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (relational near2 database)) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:23

L9	5	("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (database)) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:24
L10	0	("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (database)) and xml and (exstension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:24
L11	5	("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (database)) and xml and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:25
L12	3	("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (xml)) and xml and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:26
L13	5	((extension near2 table) same (xml)) and xml and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:27
L14	72	(database same (extension near2 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:28
L15	0	(database same (extension near2 table)) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:28
L16	11	(database same (extension near2 table)) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:31

L17	1	"10727176"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:32
L18	0	"10727258"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:32
L19	1	"10/727258"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:33
L20	0	"10/727258" and ((extension near2 table) same xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:34
L21	1	"10/727258" and ((extension near2 table) same populat\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:34
L22	1	"10/727258" and ((extension near2 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:35
L23	0	"10/727258" and ((extension near2 table)) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:35
L24	1	"10/727258" and ((extension near2 table)) and extensible	US-PGPUB; USPAT; USOGR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:35

L25	427	((extension near2 table)) and extensible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:35
L26	24	((extension near2 table)) and extensible and (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:40
L27	11	((extension near2 table)) and extensible and (relational near2 database) and UDT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:42
L28	10	((extension near2 table)) and extensible and (relational near2 database) and UDT and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:43
L29	10	((extension near2 table)) and (relational near2 database) and UDT and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:43
L30	45	(relational near2 database) and UDT and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:43
L31	31	(relational near2 database) and UDT and xml and extension	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:45
L32	10	(relational near2 database) and UDT and xml and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 10:57

L33	12	(relational near2 database) and UDT and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:09
L34	36	UDT and xml and mapp\$3 and (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:10
L35	8	UDT and xml and mapp\$3 and (relational near2 database) and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:11
L36	0	UDT and HTML and map\$3 and (relational near2 database) and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:11
L37	9	UDT and extension and map\$3 and (relational near2 database) and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:14
L38	9	UDT and (transfer\$ or migrate) and (relational near2 database) and (extension near2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:15
L39	0	"6112199".pn. and transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:15
L40	0	"6112199".pn. and migrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:16

L41	1	"6112199".pn. and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:23
L42	12	UDT and (extension near2 table) and (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:21
L43	1	"6112199".pn. and extend	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:24
L44	1	"6112199".pn. and exten\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 11:24
L45	0	(user with configuration) same permision same UDT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:21
L46	0	(user:with:configuration) same lock same UDT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:21
L47	4	ock same UDT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:22
L48	5043751		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:22

5/26/2006 3:48:28 PM Page 6

L49	29	lock same UDT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:22
L50	14	UDT and (relational near2 database) and (lock or permision)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:26
L51	263	((user with configuration) same limited) and (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:30
L52	6	((user with configuration) same limited) and (relational near2 database) and (transfer\$ same tables)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:58
L53	5428	(transfer same rows same (columns or attributes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:59
L54	25204	(transfer same (columns or attributes))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:59
L55	411	(transfer same (columns or attributes)) same tables	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 12:59
L56	18	(transfer same (columns or attributes)) same tables same (relational near2 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:54

L57	5	(transfer same (columns or attributes)) same tables same (xml)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:08
L58	4	(export\$3 same data).ti. and 707/204	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:21
L59	2276	transfer same data same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:11
L60	144	59 and (map\$ same xml same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:11
L61	31	59 and (map\$ same xml same database)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:11
L62	0	(transfer with table\$1) same "xm."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:54
L63	40	(transfer with table\$1) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:07
L64	6	(transfer with table\$1) same xml	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 13:55

5/26/2006 3:48:28 PM

L65	8	((transfer with table\$1) same xml) and (SQL same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:08
L66	2	(707/200 or 707/204 or 707/203) and ((transfer\$3 with table\$1) same xml) and (SQL same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:09
L67	. 2	(707/200 or 707/204 or 707/203) and ((transfer\$3 same table\$1) same xml) and (SQL same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:10
L68	0	(707/200 or 707/204 or 707/203) and ((transfer\$3 same table\$1) same xml) and ((relational near2 databas) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:10
L69	0	(707/200 or 707/204 or 707/203) and ((transfer\$3 same table\$1) same xml) and ((relational near2 database) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:10
L70	17	((transfer\$3 same table\$1) same xml) and ((relational near2 database) same server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:10
L71	158	(SQL near2 server).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:28
L72	37	707/204 and ((migrat\$3 or transfer\$) same (relational near2 database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:29

5/26/2006 3:48:28 PM Page 9

L73	6	707/204 and ((migrat\$3 or transfer\$) same (relational near2 database)) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:31
L74	8	707/203 and ((migrat\$3 or transfer\$) same (relational near2 database)) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26:14:31
L75	355	((migrat\$3 or transfer\$) same (relational near2 database)) and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:31
L76	70	((migrat\$3 or transfer\$) same (relational near2 database)) and xml and DTD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:32
L77	26	(((migrat\$3 or transfer\$) same (relational near2 database)) same xml) and DTD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 14:32

5/26/2006 3:48:28 PM Page 10

Sign in



Web <u>Images</u> <u>Groups</u> <u>News</u> <u>Froogle</u> <u>Maps</u> <u>more</u> »

transferring data from relational database into

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 1,050,000 for transferring data from relational database into xml. (0.71 seconds)

[PDF] TRANSFERRING DATA BETWEEN XML DOCUMENTS AND RELATION DATABASE

File Format: PDF/Adobe Acrobat - View as HTML

TRANSFERRING DATA BETWEEN. XML DOCUMENTS, AND RELATION DATABASE.

David Melkumyan. DESY Zeuthen ... store the XML document in a relational database ... www-zeuthen.desy.de/technisches_seminar/ texte/TRANSFERRING_DATA_XML_RDB.pdf - Similar pages

rpbourret.com - Data Transfer Strategies

Transferring data between XML documents and relational databases ... Unlike the case when inserting data into the database, the relative position of the ... www.rpbourret.com/xml/DataTransfer.htm - 90k - <u>Cached - Similar pages</u>

rpbourret.com - XML Database Products

... fit your data into a well-structured database, such as a relational database, ... XML-Enabled Databases: Databases with extensions for transferring data ... www.rpbourret.com/xml/XMLDatabaseProds.htm - 52k - <u>Cached - Similar pages</u> [More results from www.rpbourret.com]

xml-dev - RE: Mechanics of mapping relational data into XML

RE: Mechanics of mapping relational data into XML ... (Transferring data from the XML document to the database is > generally not > supported by ... lists.xml.org/archives/xml-dev/200007/msg00438.html - 16k - <u>Cached - Similar pages</u>

RE: Mechanics of mapping relational data into XML

RE: Mechanics of mapping relational data into XML. ... (Transferring data from the XML document to the database is > generally not > supported by ... www.stylusstudio.com/xmldev/200007/post80430.html - 23k - Cached - Similar pages

XML.com: Using XML and Relational Databases with Perl

... that data into the database as we go by executing our prepared statement. ... middleware for transferring data between XML documents and relational ... www.xml.com/pub/a/2000/12/13/perixmldb.html - 41k - Cached - Similar pages

Relational Databases

XML-DBMS is a set of Java packages used for transferring data between XML documents and relational databases. These classes allow an XML document to be ... www.xml.com/pub/rg/Relational_Databases - 36k - <u>Cached</u> - <u>Similar pages</u>
[<u>More results from www.xml.com</u>]

Title Index

... Efficiently Publishing Relational Data as XML Documents · Efficient Support ... What Makes the Differences: Benchmarking XML Database Implementations ... dret.net/biblio/titles - 929k - <u>Cached</u> - Similar pages

[PDF] DBXML - Connecting XML with Relational Databases


File Format: PDF/Adobe Acrobat

When transferring XML data to a relational database, ... Convert XML data into relational data and vice. versa. - Transfer data types and primary/foreign ... doi.ieeecomputersociety.org/10.1109/CIT.2005.95 - Similar pages

XML Database Mapping

The notion of transfering data relational databases via XML is growing in popularity. A database schema can be written in XML pretty trivially. ...

Try your search again on Google Book Search



transferring data from relational data Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



Web Images Groups News Froogle Maps more »

transferring data from relational database into

Search Advanced Search
Preferences

Web

Results 1 - 10 of about 1,050,000 for transferring data from relational database into xml. (0.71 seconds)

[PDF] TRANSFERRING DATA BETWEEN XML DOCUMENTS AND RELATION DATABASE

File Format: PDF/Adobe Acrobat - View as HTML

TRANSFERRING DATA BETWEEN. XML DOCUMENTS. AND RELATION DATABASE.

David Melkumyan. DESY Zeuthen ... store the XML document in a relational database ... www-zeuthen.desy.de/technisches_seminar/ texte/TRANSFERRING_DATA_XML_RDB.pdf

- Similar pages

rpbourret.com - Data Transfer Strategies

Transferring data between XML documents and relational databases ... Unlike the case when inserting data into the database, the relative position of the ... www.rpbourret.com/xml/DataTransfer.htm - 90k - Cached - Similar pages

rpbourret.com - XML Database Products

... fit your data into a well-structured database, such as a relational database, ... XML-Enabled Databases: Databases with extensions for transferring data ... www.rpbourret.com/xml/XMLDatabaseProds.htm - 52k - Cached - Similar pages [More results from www.rpbourret.com]

xml-dev - RE: Mechanics of mapping relational data into XML

RE: Mechanics of mapping relational data into XML ... (Transferring data from the XML document to the database is > generally not > supported by ... lists.xml.org/archives/xml-dev/200007/msg00438.html - 16k - Cached - Similar pages

RE: Mechanics of mapping relational data into XML

RE: Mechanics of mapping relational data into XML. ... (Transferring data from the XML document to the database is > generally not > supported by ... www.stylusstudio.com/xmldev/200007/post80430.html - 23k - <u>Cached - Similar pages</u>

XML.com: Using XML and Relational Databases with Perl

... that data into the database as we go by executing our prepared statement. ... middleware for transferring data between XML documents and relational ... www.xml.com/pub/a/2000/12/13/perlxmldb.html - 41k - Cached - Similar pages

Relational Databases

XML-DBMS is a set of Java packages used for transferring data between XML documents and relational databases. These classes allow an XML document to be ... www.xml.com/pub/rg/Relational_Databases - 36k - <u>Cached</u> - <u>Similar pages</u>
[More results from www.xml.com]

Title Index

... Efficiently Publishing Relational Data as XML Documents · Efficient Support ... What Makes the Differences: Benchmarking XML Database Implementations ... dret.net/biblio/titles - 929k - Cached - Similar pages

[PDF] DBXML - Connecting XML with Relational Databases


File Format: PDF/Adobe Acrobat

When transferring XML data to a relational database, ... Convert XML data into relational data and vice. versa. - Transfer data types and primary/foreign ... doi.ieeecomputersociety.org/10.1109/CIT.2005.95 - Similar pages

XML Database Mapping

The notion of transfering data relational databases via XML is growing in popularity. A database schema can be written in XML pretty trivially. ...

Try your search again on Google Book Search



transferring data from relational data Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google